

Waggoner®

attachments

THINK BIG!

HOLD THE WORLD



• material
handling
equipments •

TELEHANDLER ATTACHMENTS

bucket rangers • hay bale spikes • hay bale clamps
bale clamps • recycling bale clamps & grabs • log grabs • platform range
sweeper range • pushers & ploughs • fork carriages
sideboiler & fork positioners • rotators • bin & box rotators
jib & crane rangers • special attachments


PRODUCT LIST

Waggoner®

attachments

THINK BIG!

HOLD THE WORLD



• **WAGGER ATTACHMENTS**

GULMAK ISTIF MAKINALARI SAN. VE TIC. LTD. STI.
YESILOBA MAH. ORTA OLCEKLI SANAYI SITESI 46247 SOKAK NO: 2/A
SEYHAN / ADANA / TURKIYE

Phone: +90 (322) 428 08 58 - 428 08 97 Fax: +90 (322) 428 09 25
Web: www.waggoner.com.tr E-mail: info@waggoner.com.tr

ABOUT US

GÜLMAK İSTİF MAKİNALARI SAN. VE TİC. LTD. ŞTİ.'s origin was established in 1968 by Selim Gül to provide maintenance and repair activities for forklifts, telehandlers, construction equipments and their attachments. In 2004, it continues its strong presence in the sector with the production of high quality forklift and telehandler attachments in the local and global markets of the sector under the brand of "Wagger Attachments".

Today, Wagger Is The Leading Manufacturer of Forklift Truck Attachments, Telehandler Attachments, Backhoe Loader Attachments And SSL Attachments, with The Most Extensive Product Range In Turkey.

WAGGER has been active for almost twenty years in the design, manufacture and distribution of forklift attachments and industrial material handling equipments.

WAGGER started by establishing a system that consistently produces attachments with high quality and aesthetic production methods, focused on customer satisfaction, which are accepted all over the world.

To achieve this, WAGGER created a model that will enable growth with both users and suppliers. WAGGER has always supported this philosophy with the slogan of "True success is repeatable success". WAGGER distributors, WAGGER suppliers and WAGGER employees were identified as the three most important elements that underpin this philosophy.

Above all, WAGGER defended its commitment to the systems approach. Thus, while many of its most famous attachments, such as bale clamps, rotators, paper roll clamps and multi pallet handlers, were carefully created, the WAGGER production system required adherence to the principles of quality, aesthetics and customer satisfaction in all of its products.

WAGGER's passion for quality meant testing components to fit the production system, perfecting products. WAGGER shared its vision for the future with suppliers and ensured their commitment to the system's quality concept. Thus, it has always succeeded in producing quality, aesthetic and customer oriented production at the same standard.

From its passion for quality and efficiency to its relentless pursuit of aesthetics, WAGGER's inspiring initiatives remain an integral part of WAGGER culture today and into the future.




WAGGER ATTACHMENTS

Wagger Genuine Parts



WAGGER ATTACHMENTS

Wagger Factory








INTRODUCTION

WAGGER is pleased to present you with this new version of its attachment catalog. Original Wagger attachments provide you with tailor-made attachments to suit a huge variety of applications. The following guide details our range of Telescopic Handler attachments. Please contact Wagger, if you have any questions.

WHY USE?

WAGGER ATTACHMENTS ●



Wagger attachments and implements help you grow your business, replace less efficient machines, and give you the tools to accomplish major projects. Customers choose Wagger Attachments for maximum efficiency and productivity, and they achieve the same results from their machines. Use this guide to find the best Wagger Attachment combinations for your everyday tasks, occasional projects, and seasonal needs. Please visit www.wagger.com.tr for more information and to locate the Wagger dealer closest to you. They will be happy to help you with any inquiries you may have.



DATA SHEET

General Terms And Conditions

1. Ordering Information

Following information is required to process your order as fast as possible:

- Product code of the required unit from the technical table.
- Lift truck model and mounting class of fork carriage.

Orders for spare parts must be accompanied by the serial number of the Wagger attachment written on the name plate.

2. Dimensions, Weight and Technical Data

Dimensions, weight and pictures are non-binding and all are subject to change with the required unit specification. Technical drawings are mainly standard and can not display all available types, they only show the build principle. The right of technical changes and further developments without notice is reserved.

3. Special Products

Special or customized products are available on request. A complete description of the application is required to specify the technical requirements.

4. Painting

Wagger Attachments are painted in the colour Ral 3020, Red as standard. Further colour is available on request.

5. Certificate

Wagger is certified according to DIN EN ISO 9001:2008 Quality Management System and DIN EN ISO 3834-2 Welding Quality Assurance.

6. Delivery

Delivery is EXW Adana Wagger Factory unless otherwise agreed upon.

7. Guarantee

For a period of 12 months, or 2.000 work hours (whichever comes first), from the date of delivery to customer, Wagger Attachments, at its option, will repair or replace for the original purchaser, free of charge, any part or parts of the attachment found, upon examination by Wagger Attachments, to be defective in material or workmanship, or both.

This warranty does not apply if such defect has been caused by alteration, improper use, failure to provide proper maintenance, or operation contrary to Wagger Attachment's installation and service instructions.



DATA SHEET

Technical Information

1. Attachment Capacity

The rated capacity of each Wagger attachment is a structural rating only. The type of product to be handled as well as the operating conditions must be considered before the working capacity for each application can be properly determined; hard, slippery loads, for example, require more clamping force, using the same clamp, than soft compressible ones. Fast driving across uneven surfaces produces far higher dynamic loadings than traveling slowly over smooth warehouse floors. Certain lift truck specifications, such as lift height, also influence the residual capacity and must also be considered.

The attachment capacities shown are nominal and they apply only to the individual attachment and not to the capacity of lift truck. Attachment capacity, combined with truck rating, determines the net working capacity of the combination. This net attachment/truck capacity must be determined by the lift truck manufacturer. An approximate estimate of the net capacity is available by following the step-by-step calculation on page ...of this catalogue.

Attachment capacities are given at 500mm load centres unless otherwise stated. For load centres greater than 500mm a lower capacity applies. Consult the attachment specification sheets or contact Wagger for capacity derations.

2. Universal Couplers

Some of universal couplers:




MANITOU COUPLER




JCB Q-FIT



BOBCAT QUICK-TACH



FARESIN COUPLER



MERLO TAC-LOCK



DIECI COUPLER

1

**BUCKET
RANGE**

2

**HAY BALE SPIKES &
CLAMPS**

3

**HAY BALE
CLAMPS**

4

**BALE
CLAMPS**

5

**RECYCLING BALE CLAMPS &
GRABS**

6

**LOG
GRABS**

7

**PLATFORM
RANGE**

8

**SWEEPER
RANGE**



Contents

9

**PUSHERS &
PLOUGHS**

10

**FORK
CARRIAGES**

11

**SIDESHIFTER & FORK
POSITIONERS**

12

ROTATORS

13

**BIN & BOX
ROTATORS**

14

**JIB & CRANE
RANGES**

15

**SPECIAL
ATTACHMENTS**



Contents

18-37

BUCKET RANGE

HMK	LIGHT MATERIAL BUCKET	22
GMK	GENERAL PURPOSE BUCKET	23
FMK	4IN1 BUCKET	24
CBK	GRAB BUCKET / AGRI	25
CBR	GRAB BUCKET / RECYCLING	26
YMO	MANURE GRAB BUCKET	27
TPK	SUGAR BEET BUCKET	28
SRB	SILAGE FACING BUCKET	29
SRC	SILAGE FACER	30
SGB	SILAGE GRAB BUCKET	31
BBH	BIG-BAG FILLING BUCKET	32
BBT	BIG-BAG FILLING BUCKET	33
BBK	CONCRETE MIXING BUCKET	34
TBK	CONCRETE BUCKET	35

38-51

HAY BALE SPIKES

CHB2-A	HAY BALE SPIKE	42
CHB2-B	ROUNDED HAY BALE SPIKE	43
CHB3	HAY BALE SPIKE	44
CHB4-A	HAY BALE SPIKE	45
CHB4-B	HAY BALE SPIKE	46
CHB4-C	SQUARE HAY BALE SPIKE	47
CHB6	ROUNDED HAY BALE SPIKE	48

52-61

HAY BALE CLAMPS

CSP	ROUNDED HAY BALE CLAMPS / SHORT	56
CSY	ROUNDED HAY BALE CLAMPS / TALL	57
CSK	SQUARE HAY BALE CLAMPS	58
CSG	SQUARE HAY BALE CLAMPS	59

62-71

BALE CLAMPS

CSB	SILAGE BALE CLAMPS	66
CSD	SILAGE BALE CLAMPS	67
CAP	COTTON BALE CLAMP	68

72-81

RECYCLING BALE CLAMPS & GRABS

CBA	RECYCLING BALE CLAMP	76
GRP3-2	RECYCLING BALE GRAB	78
GRP4-3	RECYCLING BALE GRAB	79

82-89

LOG GRABS

TGA	LOG GRAB / SINGLE ARM	86
TGK	TIMBER GRAB / DOUBLE ARM	87
TGD	LOG GRAB / DOUBLE ARM	88

90-103

PLATFORM RANGE

WP1D	PLATFORM / NARROW	94
WP2D	PLATFORM / WIDE	95
WP3D	180° ROTATING PLATFORM	96
WP3A	EXTENDABLE PLATFORM	97
WP3DA	180° ROTATING EXTENDABLE PLATFORM	98
WP4D	ROOFER PLATFORM	99
WP5D	HEAVY DUTY PLATFORM	100

104-113

SWEeper RANGE

C330	BRUSHER	108
C430	ANGLE BROOM	109
C530	SWEeper COLLECTOR	110
C630	SWEeper COLLECTOR	111

114-119

PUSHERS & PLOUGHS

YKR	GRAIN PUSHER	118
HSB	HYDRAULIC SNOW BLADE	119

120-127

FORK CARRIAGES

FCM	FORK CARRIAGE	124
YKF	FLOATING FORK CARRIAGE	125
FMT	FLOATING FORK DOUBLE PALLET HANDLER	126

128-135

SIDESHIFTER & FORK POSITIONERS

YKX	HOOK-ON SIDESHIFTERS	132
YKN	FLOATING FORK SIDESHIFTER	133
FPT	FLOATING FORK POSITIONER	134

136-143

ROTATORS

RBG	360° ROTATORS / HOOK-ON	140
RBT	180° ROTATING FORK CARRIAGE	141
RBM	360° ROTATING FORK CARRIAGE	142

144-151

BIN & BOX ROTATORS

RBR	180° BOX ROTATORS / HOOK-ON	148
RBU	180° BOX ROTATORS / SIDE & UPPER ARMS	149

152-161

JIB & CRANE RANGES

JBA	JIB BOOM	156
JBV	JIB BOOM / LONG	157
JBS	SWING JIB BOOM	158
JBE	EXTENSION JIB BOOM	159
JBW	HYDRAULIC CRANE WINCH	160

162-173

SPECIALIZED ATTACHMENTS

BKC	POT CLAMP	166
PHD	PIPE STABILIZER & FORK POSITIONER	167
TYR	360° TYRE CLAMP	168
FMB	FORKLIFT MAST	169
BBA	BIG-BAG HANDLER	170
AGR	AUGER	171
MPH	MULTI PALLET HANDLER	172






MATERIAL DENSITIES & WEIGHTS

Material	kg/m ³
Apples	525
Ashes	604
Barley	600
Beet pulp (nuts)	604
Beet pulp (pressed)	906
Brewer's grain	1110
Brick aggregate	1828
Carrots	636
Cement (natural)	874
Chalk	795
Chalk	795
Clay (fine)	2080
Clay (wet)	1680
Coal (anthracite)	1046
Coal (bituminous)	765
Coke (loose)	570
Earth (dry)	1150
Fertiliser (mixed)	1030
Flour	445
Gravel (dry)	1650
Hay (normal density bale)	190
Lime (quick)	881
Limestone (crushed)	1530

Material	kg/m ³
Manure (farmyard)	922
Nitrate fertiliser	1250
Oats	415
Onions	556
Peat (dry)	400
Petroleum coke	680
Potatoes	699
Refuse (town)	318
Rubble	1047
Sand (dry)	1550
Sand (wet)	1890
Sawdust	238
Silage (ensiled)	747
Silage (green)	349
Slurry	1780
Snow (fresh)	200
Snow (wet)	400
Sodium chloride (dry salt)	1300
Straw (high density bale)	254
Sugar beet	530
Turnips	540
Wheat	730



BUCKET RANGE

The buckets complete the range of accessories in the Wagger products, simplifying the processes in the construction and building sectors. They are also excellent types of equipment for the recycling, agriculture, and paper supply chain. Warning: Compatibility depends also on the maximum capacity of the unit, please check the maximum allowed weight. Please consult wagger.

Contents

HMK	LIGHT MATERIAL BUCKET
GMK	GENERAL PURPOSE BUCKET
FMK	4IN1 BUCKET
CBK	GRAB BUCKET / AGRI
CBR	GRAB BUCKET / RECYCLING
YMO	MANURE GRAB BUCKET
TPK	SUGAR BEET BUCKET
SRB	SILAGE FACING BUCKET
SRC	SILAGE FACER
SGB	SILAGE GRAB BUCKET
BBH	BIG-BAG FILLING BUCKET
BBT	BIG-BAG FILLING BUCKET
BBK	CONCRETE MIXING BUCKET
TBK	CONCRETE BUCKET





BUCKET RANGE

Light Material Buckets

HMK



PRODUCT CODE



m³



mm



mm



kg

150HMK-X2350	1,50	2350	1430	700
200HMK-X2350	2,00	2350	1490	725
250HMK-X2400	2,50	2400	1560	750
300HMK-X2400	3,00	2400	1650	800
350HMK-X2400	3,50	2400	2000	850
400HMK-X2500	4,00	2500	2100	1000

TECHNICAL DATA

Notes:

More longevity of the wear plate.
Durable and long-lasting bucket.
Wide range of bucket capacities from
1,50m³ to 4,00m³
Optional: 500 HB reversible wear plate.

Wagner
attachments



BUCKET RANGE

General Purpose Bucket

GMK



PRODUCT CODE



m³



mm



mm



kg

050GMK-X1400

0,50

1400

870

300

075GMK-X2000

0,75

2000

880

400

100GMK-X2200

0,85

2200

885

410

100GMK-X2350

1,00

2350

890

425

150GMK-X2450

1,50

2450

910

480

TECHNICAL DATA

Notes:

More longevity of the wear plate
Durable and long-lasting bucket.
Wide range of bucket capacities from 0,50m³
to 1,50m³
General purpose attachment for a daily use.
Reinforced structure (base, blade, sides).



BUCKET RANGE

4 in 1 Buckets

FMK



PRODUCT CODE



m³



mm



mm



kg

050FMK-X1500

0,50

1500

1030

565

060FMK-X1800

0,60

1800

1035

640

080FMK-X2300

0,80

2300

1040

720

TECHNICAL
DATA

Notes:

Loading & unloading operations, Levelling grounds, Backfilling trenches, and Object clamping.

Durable and long-lasting bucket.

Interchangeable teeth for better longevity.

Rear counter blade for ground levelling.

Reinforced structure (base, blade, sides).



BUCKET RANGE

Grab Buckets / Agri

CBK

ÜSTTEN KAPAMALI KOVA



PRODUCT CODE



m³



mm



mm



kg

150CBK-X2400	1,50	2400	895	650
200CBK-X2400	2,00	2400	1180	980
250CBK-X2500	2,50	2500	1380	1040
300CBK-X2500	3,00	2500	1390	1100

TECHNICAL DATA

Notes:

More longevity of the wear plate
Durable and long-lasting bucket.
"Complete opening>90° and powerful jaw
allows working flush with walls"
Perfect for handling wet manure, silage.
Reinforced structure (base, blade, sides).

Wagner
attachments

www.wagner.com.tr



BUCKET RANGE

Grab Buckets / Recycling

CBR



PRODUCT CODE



m³



mm



mm



kg

080CBR-X1850

0,80

1850

900

520

150CBR-X2350

1,50

2350

950

720

TECHNICAL DATA

Notes:

More longevity of the wear plate.
Durable and long-lasting bucket.
Complete opening >90° and powerful jaw
allows working flush with walls.
Perfect for handling waste Paper, Aluminum,
metal parts.
Reinforced structure (base, blade, sides).

Wagner
attachments



BUCKET RANGE

Manure Grab Buckets

YMK



PRODUCT CODE



m³



mm



mm



kg

150YMK-X2000

1,50

2000

1250

650

180YMK-X2350

1,80

2350

1250

750

TECHNICAL
DATA

Notes:

Massive and efficient attachment.
The best solution for manure handling.
Versatile attachment that enables occasional square bale handling.
Bolt-on teeth and tines for easy maintenance.
Reinforced structure (base, blade, sides).



BUCKET RANGE

Sugar Beet Buckets

TPK



PRODUCT CODE



m³



mm



mm



kg

200TPK-X2400

2,00

2400

1380

520

250TPK-X2450

2,50

2450

1610

720

TECHNICAL DATA

Notes:

More longevity of the wear plate
Strong structure for long lasting use.
Openwork spill guard for a better visibility.
"Attachment adapted to the handling of
sugar beet and other root crops."
Open-work structure made of Ø 20 mm steel
bars.

Wagner
attachments



BUCKET RANGE

Silage Facing Buckets

SRB



PRODUCT CODE



m³



mm



mm



kg

200SRB-X2400

2,00

2400

1130

1000

TECHNICAL DATA

Notes:

Synchronized hydraulic movements.
Clean silage pit face, limits secondary fermentation.
Time-saving, a single attachment for the handling of silage and bulk feed.
Hydraulic motor integrated into the rotor, perfect protection & longevity.
Loads and aerates silages in one operation.



BUCKET RANGE

Silage Facer

SRC



PRODUCT CODE



270



2300



400



650

100SRC-X2300

TECHNICAL DATA

Notes:

Synchronized hydraulic movements.
Clean silage pit face, limits secondary fermentation.
Time-saving, a single attachment for the handling of silage and bulk feed.
Hydraulic motor integrated into the rotor, perfect protection & longevity.
Loads and aerates silages in one operation.





BUCKET RANGE

Shear Grab Buckets

SGB



PRODUCT CODE



m³



mm



mm



kg

140SGB-X2300

1,40

2300

750

900

TECHNICAL DATA

Notes:

Powerful attachment for a fast cutting.
Durable and long-lasting bucket.
Increased cylinder diameter for more power.
Heavy duty teeth for easy penetration.
Open back for more visibility.



BUCKET RANGE

Big Bag Filling Buckets

BBH



PRODUCT CODE



m³



mm



mm



kg

120BBH-X1400

1,12

1400

1400

480

TECHNICAL DATA

Notes:

Loading bucket for filling in big bags is used in agriculture and processing industry. Saving money on two machines, with this bucket all operations for filling of big bags can be done by one person.

Big-Bag filler bucket is equipped with a telescopic handler attachment.

Fill and move bulk bags which increases productivity and eliminates spillages while loading bags.

Designed to fill various types of loose free flowing materials into bulk bags with ease.



BUCKET RANGE

Big Bag Filling Buckets

BBT



PRODUCT CODE



m³



mm



mm



kg

130BBT-X1200

1,00

1200

1700

900

TECHNICAL DATA

Notes:

Loading bucket for filling in big bags is used in agriculture and processing industry. Saving money on two machines, with this bucket all operations for filling of big bags can be done by one person.

Big-Bag filler bucket is equipped with a telescopic handler attachment.

Fill and move bulk bags which increases productivity and eliminates spillages while loading bags.

Designed to fill various types of loose free flowing materials into bulk bags with ease.



BUCKET RANGE

Concrete Mixing Buckets

BBK



PRODUCT CODE



m³



mm



mm



kg

100BBK-X2300

1,00

2300

700

900

TECHNICAL DATA

Notes:

More longevity of the wear plate.

1.5 m flexible tube (standard) for better unloading control.

Durable bucket designed for an intensive use.

Replaceable mixing blades for low running costs.

Lateral distribution controlled hydraulically, that ensures maximum users safety.



Wagner
attachments



BUCKET RANGE

Concrete Buckets

TBK



PRODUCT CODE



m³



mm



mm



kg

116TBK-X1620

1,16

1620

1200

900


TECHNICAL DATA

Notes:

More longevity of the wear plate.
Durable and long-lasting bucket.
Reinforced structure (base, blade, sides).







HAY BALE SPIKES

The bale spikes complete the range of accessories in the Wagger products, simplifying the processes in the agricultural sectors. They are also excellent types of equipment for the farming and livestock industry supply chain. Warning: Compatibility depends also on the maximum capacity of the unit. please check the maximum allowed weight. Please consult wagger.

Contents

CHB2-A	HAY BALE SPIKE
CHB2-B	ROUNDED HAY BALE SPIKE
CHB3	HAY BALE SPIKE
CHB4-A	HAY BALE SPIKE
CHB4-B	HAY BALE SPIKE
CHB4-C	SQUARE HAY BALE SPIKE
CHB6	ROUNDED HAY BALE SPIKE





HAY BALE SPIKES

Hay Bale Spike

CHB2-A



PRODUCT CODE

002CHB2A-X1206



kg

250



mm

1200



mm

600



kg

120

TECHNICAL DATA

Notes:

Strong & simple construction.
Durable and long-lasting design.
Handles max. 2 rectangular bales.
Efficient and economical square bale handling solution.



Wagner
attachments



HAY BALE SPIKES

Hay Bale Spike

CHB2-B



PRODUCT CODE

002CHB2B-X1207



250



1200



700



100

TECHNICAL DATA

Notes:

For efficient handling of round bales up to 1800mm diameter.
The lower tine prevents rotation of the bale
Strong & simple construction.
Durable and long-lasting design.



HAY BALE SPIKES

Hay Bale Spike

CHB3



PRODUCT CODE

003CHB3-X1206



350



1200



600



150

TECHNICAL DATA

Notes:

Strong & simple construction.
Durable and long-lasting design.
Handles max. 2 rectangular bales.
Efficient and economical square bale handling solution.



HAY BALE SPIKES

Hay Bale Spike

CHB4-A



PRODUCT CODE

005CHB4A-X1413



kg

500



mm

1400



mm

1300



kg

450

TECHNICAL DATA

Notes:

Strong & simple construction.
Durable and long-lasting design.
Handles 1 rounded bale.
Efficient and economical square bale handling solution.
Reinforced structure (base, blade, sides).



HAY BALE SPIKES

Foundable Hay Bale Spike

CHB4-B



PRODUCT CODE

020CHB4B-X2222



2000



2200



2200



350

TECHNICAL DATA

Notes:

Holding upper frame, easy under roof operations.

Upholding teeth on the top of the frame. Efficient and economical square bale handling solution.

Foldable tines: suitable for road traffic. Grip teeth on top of frame.



HAY BALE SPIKES

Hay Bale Spike

CHB4-C



PRODUCT CODE

020CHB4C-X1821



2000



1800



2100



250

TECHNICAL DATA

Notes:

Strong & simple construction.
Durable and long-lasting design.
Handles max. 5 rectangular bales.
Efficient and economical square bale handling solution.
Reinforced structure (base, blade, sides).



HAY BALE SPIKES

Rounded Hay Bale Spike

CHB6



PRODUCT CODE

020CHB6-X2407



2000



2400



700



300

TECHNICAL DATA

Notes:


Strong & simple construction.
Durable and long-lasting design.
Or single rectangular bales up to 1200mm x 1200mm x 2500mm
Offers safe and effective handling of two round bales up to 1800mm diameter

Wagner
attachments









HAY BALE CLAMPS

The bale clamps complete the range of accessories in the Wagger products, simplifying the processes in the agricultural and farming sectors. They are also excellent types of equipment for the clamping and handling solutions of rounded and rectangular bales.

Warning: Compatibility depends also on the maximum capacity of the unit. please check the maximum allowed weight.
Please consult Wagger.

Contents

CSP	ROUNDED HAY BALE CLAMPS / SHORT
CSY	ROUNDED HAY BALE CLAMPS / TALL
CSK	SQUARE HAY BALE CLAMPS
CSG	SQUARE HAY BALE CLAMPS





HAY BALE CLAMPS

Rounded Hay Bale Clamps / Short

CSP



PRODUCT CODE

010CSP-X1217



1000



120-1700



1400



350

TECHNICAL DATA

Notes:

Synchronized closure.
Easy to use and efficient attachment.
Handles 1 round bale or 2 rounded bales at the same time.
Rounded teeth in wrought iron that offer an accurate and clean penetration on materials.



HAY BALE CLAMPS

Rounded Hay Bale Clamps / Tall

CSY



PRODUCT CODE

020CSY-X2019



kg

2000



mm

200-1900



mm

2250



kg

450

TECHNICAL DATA

Notes:

Synchronized closure.
Easy to use and efficient attachment.
Handles 1 round bale or 2 rectangular bales at the same time.
Rounded teeth in wrought iron that offer an accurate and clean penetration on materials.

Wagner
attachments

www.wagner.com.tr



HAY BALE CLAMPS

Square Hay Bale Clamps

CSK



PRODUCT CODE

021CSK-X1830



2100



420-1570



3000



750

TECHNICAL DATA

Notes:

Capacity: 2100 kg / 5 bales (per 700 mm high).
Reinforced frame & grab structure for harsh working conditions.
Synchronized closure.
High capacity & power for intensive straw stacking.
Lateral clamp kinematics: under roof stacking made easy.





HAY BALE CLAMPS

Square Hay Bale Clamps

CSG



PRODUCT CODE

021CSG-X2020



2100



2000



2000



680

TECHNICAL DATA

Notes:

Capacity: 2100 kg / 4 bales (per 900 mm high).

Reinforced frame & grab structure for harsh working conditions.

High capacity & power for intensive straw stacking.


Lateral clamp kinematics: under roof stacking made easy.

Wagger
attachments

www.wagger.com.tr







BALE CLAMPS

The bale clamps complete the range of accessories in the Wagger products, simplifying the processes in the agricultural and farming sectors. They are also excellent types of equipment for the clamping and handling solutions of rounded and rectangular bales. Warning: Compatibility depends also on the maximum capacity of the unit. please check the maximum allowed weight. Please consult Wagger.

Contents

CSB	SILAGE BALE CLAMPS
CSD	SILAGE BALE CLAMPS
CAP	COTTON BALE CLAMP






BALE CLAMPS

Silage Bale Clamp

CSB



PRODUCT CODE

012CSB-X0418



1200



400-1800



1350



320

TECHNICAL DATA

Notes:

Excellent lifting capacity from 800 kg up to 1200 kg.

Powerful double effect cylinder allows the manipulation of very heavy bales.

Rounded and articulated clamp designed to fit the shape of every bale.

Smooth structure that avoids any perforation of plastic film.




Wagner
attachments



BALE CLAMPS

Wrapped Cotton Bale Clamp

CSD



PRODUCT CODE

012CSD-X0920



1200



950-2050



2450



800

TECHNICAL DATA

Notes:

Capacity: 2100 kg / 4 bales (per 900 mm high).
Reinforced frame & grab structure for harsh working conditions.
High capacity & power for intensive straw stacking.
Lateral clamp kinematics: under roof stacking made easy.



BALE CLAMPS

Cotton Bale Clamp

CAP



PRODUCT CODE



	kg	mm	mm	kg
023CAP-X09GI	2300	550-2100	1000	560
023CAP-X19GI	2300	600-2200	1000	560
023CAP-X17GI	2300	750-2400	1000	600
023CAP-X07GI	2300	550-2250	1000	650
026CAP-X15SI	2600	500-2350	1000	750

TECHNICAL DATA

Notes:

It is used for loading, unloading or stacking cotton and wool bales.
2 hydraulic functions
Valve Block sideshifting.
Optional Parts;
Quick Release Hooks
Load Backrest (300mm)
Pressure Gauge
Hoses & Jack Set




Wagner
attachments
THINK BIG!
HOLD THE WORLD









RECYCLING BALE CLAMPS & GRABS

The RECYCLING BALE CLAMPS & GRABS complete the range of accessories in the Wagger products, simplifying the processes in the recycling sectors. They are also excellent types of equipment for recycling paper, plastic, and metal bales. Warning: Compatibility depends also on the maximum capacity of the unit. please check the maximum allowed weight. Please consult Wagger.

Contents

CBA	RECYCLING BALE CLAMP
GRP3-2	RECYCLING BALE GRAB
GRP4-3	RECYCLING BALE GRAB





RECYCLING BALE CLAMPS & GRABS

CBA

Recycling Bale Clamp



PRODUCT CODE



023CBA-X09GI	2300	550-2100	1000	660
023CBA-X19GI	2300	600-2200	1000	660
023CBA-X17GI	2300	750-2400	1000	700
023CBA-X07GI	2300	550-2250	1000	750
026CBA-X15SI	2600	500-2350	1000	850

TECHNICAL DATA

Notes:

It is used for loading, unloading or stacking recycling bales.

2 hydraulic functions

Valve Block sideshifting.

Optional Parts;

Quick Release Hooks

Load Backrest (300mm)

Pressure Gauge

Hoses & Jack Set

Wagner
attachments





RECYCLING BALE CLAMPS & GRABS

GRP3-2

Recycling Bale Grab



PRODUCT CODE

014GRP-X32



1400



1200



900



650

TECHNICAL DATA

Notes:

It is used to stack pressed waste paper or plastic bales for recycling.
The biggest advantage of this attachment is that it prevents the presses from falling apart by holding the load from below.
It also allows the collection of scattered waste materials and their easy transportation to the press chamber.

Wagner
attachments



RECYCLING BALE CLAMPS & GRABS

GRP4-3

Recycling Bale Clamp



PRODUCT CODE

020GRP-X43



kg

2000



mm

1500



mm

900



kg

800


TECHNICAL DATA

Notes:

It is used to stack pressed waste paper or plastic bales for recycling. The biggest advantage of this attachment is that it prevents the presses from falling apart by holding the load from below. It also allows the collection of scattered waste materials and their easy transportation to the press chamber.







LOG GRABS

The Log Grabs complete the range of accessories in the Wagger products, simplifying the processes in the forestry industry. They are also excellent types of equipment for wooden logs. Warning: Compatibility depends also on the maximum capacity of the unit, please check the maximum allowed weight. Please consult Wagger.

Contents

TGA	LOG GRAB / SINGLE ARM
TGK	TIMBER GRAB / DOUBLE ARM
TGD	LOG GRAB / DOUBLE ARM





LOG GRABS

Log Grabs

TGA



PRODUCT CODE

020TGA-X1200



2000



1200



800



550

TECHNICAL DATA

Notes:

One hydraulic cylinder.
Special shape of retainer for safe wood handling.
Robust structure for heavy work.



LOG GRABS

Timber Grabs

TGK



PRODUCT CODE

030TGK-X1500



3000



1100



1200



700

TECHNICAL DATA

Notes:

One hydraulic cylinder.
Special shape of retainer for safe wood handling.
Robust structure for heavy work.



LOG GRABS

Log Grabs

TGD



PRODUCT CODE

030TGD-X1500



3000



1100



1200




700

TECHNICAL DATA

Notes:

Two hydraulic cylinder.
Special shape of retainer for safe wood handling.
Robust structure for heavy work.





PLATFORM RANGE

Wagger offers a wide range of platforms, able to reach the desired heights in total safety, up to the most special models such as the one dedicated to working in the tunnels or working area at high altitudes. They are the perfect solution for the construction sector and major maintenance works. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed weight.

Contents

WP1D	PLATFORM / NARROW
WP2D	PLATFORM / WIDE
WP3D	180° ROTATING PLATFORM
WP3A	EXTENDABLE PLATFORM
WP3DA	180° ROTATING EXTENDABLE PLATFORM
WP4D	ROOFER PLATFORM
WP5D	HEAVY DUTY PLATFORM





PLATFORM RANGE

Platform / Narrow

WP1D



PRODUCT CODE

004WP1D-X



kg

400



mm

1200



mm

1100



kg

160

TECHNICAL DATA

Notes:

Simple and efficient platform.
Fork sleeves for yard handling.
Non-slip metal floor.
Capacity 200 kg or 400 kg.
Gate is available



Wagner
attachments



PLATFORM RANGE

Platform / Wide

WP2D



PRODUCT CODE

004WP2D-X



kg

400



mm

2200



mm

1100



kg

220

TECHNICAL DATA

Notes:

Simple and efficient platform.
Fork sleeves for yard handling.
Non-slip metal floor.
Capacity 200 kg or 400 kg.
Gate is available



PLATFORM RANGE

180° Rotating Platform

WP3D



PRODUCT CODE

004WP3D-X



kg

400



mm

2200



mm

1100



kg

670

TECHNICAL DATA

Notes:

Simple and efficient platform.
Slewing platform +/- 90° on both sides.
Non-slip metal floor.
Capacity 200 kg or 400 kg.
Gate is available

Wagner
attachments



PLATFORM RANGE

Extendable Platform

WP3A



PRODUCT CODE

004WP3A-X



400



4480



1100



460

TECHNICAL DATA

Notes:

Expandable sides are independent
Fork sleeves for yard handling.
Non-slip metal floor.
Capacity 200 kg or 400 kg.
Gate is available.
Different working widths available.

Wagner
attachments



PLATFORM RANGE

180° Rotating Extendable Platform

WP3DA

-/+ 90°



PRODUCT CODE



kg



mm



mm



kg

004WP3DA-X

400

4480

1100

800

**TECHNICAL
DATA**

Notes:

Expandable sides are independent
Slewing platform +/- 90° on both sides.
Non-slip metal floor.
Capacity 200 kg or 400 kg.
Gate is available
Different working widths available.



Wagner
attachments



PLATFORM RANGE

Roofer Platform

WP4D



PRODUCT CODE

004WP4D-X



kg

400



mm

2200



mm

1100



kg

900

TECHNICAL DATA

Notes:

Cutting-edge platforms designed for roof work.

Heavy duty and galvanized structure for improved longevity.

Non-slip metal floor.

Capacity 200 kg or 400 kg.

Secured platform.



PLATFORM RANGE

Heavy Duty Platform

WP5D



PRODUCT CODE



kg



mm



mm



kg

010WP5D-X

1000

2200

1100

450

020WP5D-X

2000

2400

1100

550

TECHNICAL DATA

Notes:


Capacity 1000 kg or 2000 kg.
Plain floor or meshed floor.
Solution for specific applications in mining.
Robust and shielded structure with multiple protective bumpers.
Secured platform.

Wagner
attachments









SWEEPER RANGE

Wagger offers a wide range of sweepers that are able to clean and collect with most special models such as working in roads, construction, and factory areas. They are the perfect solution for cleaning and collecting work. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed wide and hydraulic power.

Contents

C330	BRUSHER
C430	ANGLE BROOM
C530	SWEEPER COLLECTOR
C630	SWEEPER COLLECTOR






SWEEPER RANGE

Brusher

C330



PRODUCT CODE



mm



mm



mm



kg

C330-X2500

2000

500

450

480

C330-X2700

2700

500

450

520

TECHNICAL DATA

Notes:

Ideal for use on farms to clean muck and dirt inside sheds and in the yard.

It can be used to effectively sweep up grain into piles.

It is the perfect sweeping attachment for waste and recycling.

For clearing areas with gravel and small stones, this Brusher is the perfect attachment you can rely on to get the job done.



SWEeper RANGE

Angle Brooms

C430



PRODUCT CODE



$\varnothing^1 - \varnothing^2$



mm



kg

C430-X2500

180-610

2500

600

TECHNICAL DATA

Notes:

Sweeps and picks-up in one operation.
Strong construction with well-protected components. Polypropylene broom sections
Efficiently sweep and clean with the hydraulically driven angle broom attachment
Recessed & Guarded Motor
High-quality wear-resistant poly bristles



SWEEPER RANGE

Sweeper Collector

C530



PRODUCT CODE



Ø1-Ø2



mm



mm



kg

C530-X1650	180-610	1650	1250	550
C530-X1850	180-610	1850	1250	650
C530-X2500	180-610	2500	1250	800

* C531 :

** C532 : +

TECHNICAL DATA

Notes:

Superior structural strength to take the knocks of everyday site use.

Combination Steel and Polypropylene Brush

Hydraulically Operated Collection Hopper

Allows easy cleaning and emptying of water tank.

Provides class-leading operator visibility.



SWEEPER RANGE

Sweeper Collector

C630



PRODUCT CODE



180-610



3000



1250



750

C630-X3000

* C631:

** C632: +

TECHNICAL DATA

Notes:

Superior structural strength to take the knocks of everyday site use.

Combination Steel and Polypropylene Brush


Hydraulically Operated Collection Hopper

Allows easy cleaning and emptying of water tank.

Provides class-leading operator visibility.







PUSHERS & PLOUGHS

Wagger offers a wide range of grain pushers that are able to push and collect with most special models in farm grain warehouses.

They are the perfect solution for cleaning and collecting work.
Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed wide and extensions.

Contents

YKR	GRAIN PUSHER
HSB	HYDRAULIC SNOW BLADE





PUSHERS & PLOUGHS

Grain Pusher

YKR



PRODUCT CODE



mm



mm



mm



kg

YKR0-X2300	0	2450	1200	400
YKR1-X2300	1000	2450	1200	400
YKR2-X2300	2000	2450	1200	450
YKR3-X2300	3000	2450	1200	550

TECHNICAL DATA

Notes:

1,2,3 Meters Extension is optional.
This attachment is especially useful when operating over above-floor drying ducts.
A tubular frame using high-tensile steel maximises strength and minimises weight.
Heavy-duty design with round surfaces to prevent grain trapping.
Polyurethane plates to protect surfaces that could be damaged by the attachment.



PUSHERS & PLOUGHS

Hydraulic Snow Blade

HSB



PRODUCT CODE

030HSB-X2450



kg

+/-30°



mm

2450



mm

880




kg

750

TECHNICAL DATA

Notes:

Spring Bottom plates.
Standard-duty models include locking bolts for light-duty dozing applications.
Heavy-duty models feature reinforced steel blade construction.
Replaceable wear edge, adjustable skid shoes and spring loaded trip mechanism.



FORK CARRIAGES

We offer a wide range to meet market needs and help our operators directly in the working area. From the smallest fork carriers to those with heavy-duty capacities and larger fork sizes, we can perform tough work in the most excessive working conditions. Warning: Compatibility also depends on the unit's maximum capacity. Please check the maximum weight. If in doubt, ask.

Contents

FCM	FORK CARRIAGE
YKF	FLOATING FORK CARRIAGE
FMT	FLOATING FORK DOUBLE PALLET HANDLER





FORK CARRIAGES

Fork Carriage

FCM



PRODUCT CODE

	 kg	 mm	 ISO 2328	 kg
025FCM-X1200	2500	1200	2A	70
035FCM-X1300	3500	1300	3A	75
050FCM-X1450	5000	1450	4A	85

TECHNICAL DATA

Notes:

Tilting forks.

Forks compliant with FEM/ISO standard, forks' length according to model.

Efficient handling solution.

Load backrest is available/optional.

Forks are not included.

Wagner[®]
attachments



FORK CARRIAGES

Floating Fork Carriage

YKF



PRODUCT CODE



kg



mm



mm



kg

025YKF-X1250

2500

1250

100x40x1200

300

035YKF-X1350

3500

1350

120x50x1200

360

TECHNICAL DATA

Notes:

Load backrest standard.

Floating Forks

Solution adapted to uneven ground: floating forks + leveling.

Forks options: 100x40x1200mm / 120x50x1200mm

Forks are included



FORK CARRIAGES

Floating Fork Double Pallet Handler

FMT



PRODUCT CODE



kg



mm



mm



kg

025FMT-X2000

2500

2000

100x40x1200

620

035FMT-X2000

3500

2000

120x50x1200

650

TECHNICAL DATA

Notes:

Load backrest standard.

Floating Forks

Solution adapted to uneven ground: floating forks + leveling.


Forks options:

100x40x1200mm / 120x50x1200mm

Forks are included.







SIDESHIFTER & FORK POSITIONERS

We offer a wide range to meet market needs and help our operators directly in the working area. From the smallest fork carriers to those with heavy-duty capacities and larger fork sizes, we can perform tough work in the most excessive working conditions. Warning: Compatibility also depends on the unit's maximum capacity. Please check the maximum weight. If in doubt, ask.

Contents

YKX	HOOK-ON SIDESHIFTERS
YKN	FLOATING FORK SIDESHIFTER
FPT	FLOATING FORK POSITIONER





SIDESHIFTER & FORK POSITIONERS

Hook-On Sideshifters

YKX



PRODUCT CODE

	 kg	 mm	 ISO 2328	 kg
025YKX-X1020	2500	1020	2A	52
035YKX-X1100	3500	1100	3A	78
045YKX-X1350	4500	1350	4A	135

TECHNICAL DATA

Notes:



SIDESHIFTER & FORK POSITIONERS

YKN

Floating Fork Sideshifters



PRODUCT CODE



kg



mm



mm



kg

025YKN-X1250

2500

1250

100x40x1200

425

035YKN-X1350

3500

1350

120x50x1200

445

TECHNICAL DATA

Notes:

Load backrest standard.

Floating Forks

Solution adapted to uneven ground: floating

forks + leveling.

Forks options: 100x40x1200mm /

120x50x1200mm

Sideshifting 150mm

Forks are included.



SIDESHIFTER & FORK POSITIONERS

Floating Fork Positioner

FPT



PRODUCT CODE



kg



mm



mm



kg

025FPT-X1250

2500

200-1100

100x40x1200

52

035FPT-X1350

3500

200-1200

120x50x1200

78


TECHNICAL DATA

Notes:

Time saving: change fork spread from the cab
Fork spread: 275mm/1010mm
Pin-type forks- moved through sliders
Standard load backrest
Floating forks with leveling capacity for rough terrain applications







ROTATORS

Waggen offers a wide range of rotators that are able to rotate pallets and loads in the working side. They are the perfect solution rotating and carrying work. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed extension and load chart.

Contents

RBG	360° ROTATORS / HOOK-ON
RBT	180° ROTATING FORK CARRIAGE
RBM	360° ROTATING FORK CARRIAGE





ROTATORS

360° Rotators / Hook-On

RBG



PRODUCT CODE



kg



mm



mm



kg

025RBG-A1150
035RBG-B1270
045RBG-B1350

2500
3500
4500

1150
1270
1350

2A
3A
3A

300
365
600

TECHNICAL DATA

Notes:


Has continuous 360° rotation in both directions.
1 hydraulic function.
Sells without Forks. You may use forklift's own forks.
Forks are manually adjustable and can be locked in position.



ROTATORS

Tilting & Slewing Forks Carriage

RBT



PRODUCT CODE

015RBT-X1200



1500



1200



90°/90°



195

TECHNICAL DATA

Notes:

90°/90° Left Side / Right Side hydraulic rotation.
Easier handling of long loads in constrained spaces.
Reduced machine movements and maneuvers - less fuel consumption.



ROTATORS

360° Rotating Fork Carriage

RBM



PRODUCT CODE

035RBM-X1250

035RBM-X1350



3500



1250



360°



750



4500



1350



360°



800

TECHNICAL DATA

Notes:

Easy handling of long loads in narrow spaces.
Space saving: better pallet management= less storage space used.
Reduce machine movements & manoeuvres = Fuel consumption savings.
Space saving: better pallet management= less storage space used.


Wagner®

attachments

HINK BIG

HOLD THE





BIN & BOX ROTATORS

Wagger offers a wide range of bin & box Rotators that can rotate & collect with most special models such as working foods & beverage factories. They are the perfect solution for stacking and collecting work. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed wide and hydraulic power.

Contents

RBR	180° BOX ROTATORS / HOOK-ON
RBU	180° BOX ROTATORS / SIDE & UPPER ARMS





BIN & BOX ROTATORS

180° Box Rotators / Hook-On

RBR



PRODUCT CODE

007RBR-A0950



700



950



180°



350

TECHNICAL DATA

Notes:

- It is used for rotating, loading plastic, metal or wooden boxes
- 1 hydraulic function
- Hook-on type
- Flapped Locking System
- Hoses & Jack Set





BIN & BOX ROTATORS

180° Box Rotators / Side & Upper Arms

RBU



PRODUCT CODE

016RBU-A1250



kg

1600



mm

1250



o

180°



kg

350


TECHNICAL DATA

Notes:

It is used for rotating, loading wooden boxes
1 hydraulic function
Hook-on type
Side & Upper Arm for holding Wooden Box
Hoses & Jack Set







JIB & CRANE RANGES

Wagger offers a wide range of jib and crane ranges that can lifting with most special models such as working on construction side. They are the perfect solution for lifting and carrying work. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed wide and hydraulic power.

Contents

JBA	JIB BOOM
JBY	JIB BOOM / LONG
JBS	SWING JIB BOOM
JBE	EXTENSION JIB BOOM
JBW	HYDRAULIC CRANE WINCH





JIB & CRANE RANGES

Jib Boom

JBA



PRODUCT CODE

	 kg	 mm	 mm	 kg
025.JBA-X0700	2500	700	500	120
040.JBA-X0700	4000	815	600	130
060.JBA-X0700	6000	815	600	135

TECHNICAL DATA

Notes:

Range from 2500 kg to 6000 kg capacity.
Directly hitched on carriage.
Safety: homologated swivel self locking hook.
Very compact attachment that preserves machine stability.
Simple and cost efficient solutions for suspended load handling.



Wagner
attachments



JIB & CRANE RANGES

Jib Boom / Long

JB Y



PRODUCT CODE



kg



mm



mm



kg

040JB Y-X2700

4000

1200

2700

250

060JB Y-X2700

6000

2000

2700

285

TECHNICAL DATA

Notes:

Range from 1200 kg to 4000 kg capacity.
2 forward reaches possible for more flexibility in performing daily tasks.
Safety: homologated swivel self locking hook.
Jib fitted with 2 hooks to meet various needs of building sites.
Simple and cost efficient solutions for suspended load handling.



JIB & CRANE RANGES

Swing Jib Boom

JBS



PRODUCT CODE



kg



mm



°



kg

006.JBS-X2500

600

2850

90°

280

010.JBS-X1500

1000

1850

90°

350

TECHNICAL DATA

Notes:

Easy load placement directly from the cab.
Smart solution to place loads in narrow spaces.

Single-hook jib fitted with a 15°/15° rotation.

Safety: homologated swivel self locking hook.

Simple and cost efficient solutions for suspended load handling.

Wagner
attachments



JIB & CRANE RANGES

Extension Jib Boom

JBE



PRODUCT CODE



kg



mm



mm



kg

006JBE-X4000

600

4000

815

220

010JBE-X4000

1000

4000

815

240

015JBE-X4000

1500

4000

815

250

TECHNICAL DATA

Notes:

Wide range of extension jibs from 600 kg to 2000 kg.

Forward reach max from 2.5 m to 4 m.

Safety: homologated swivel self locking hook.

Tubular structure designed for optimal weight/rigidity ratio



JIB & CRANE RANGES

Hydraulic Crane Winch

JBW



PRODUCT CODE

030JBW-X3000
040JBW-X4000



kg



mm



mm



kg

3000
4000

1080
1080

48000
48000


400
520

TECHNICAL DATA

Notes:

Turns your telehandler into a crane.
Winch storage stand with sleeves for fork handling.
Homologated swivel self locking hook.
Easy steering from the cab or with the machine's remote control (optional).
Fast and accurate movements.





SPECIALIZED ATTACHMENTS

Wagger offers specialized models that are based on customer requests. They are the perfect solution for customer needs and wants. Warning: Compatibility depends also on the maximum capacity of the unit. Please check the maximum allowed wide and hydraulic power.

Contents

BKC	POT CLAMP
PHD	PIPE STABILIZER & FORK POSITIONER
TYR	360° TYRE CLAMP
FMB	FORKLIFT MAST
BBA	BIG-BAG HANDLER
AGR	AUGER
MPH	MULTI PALLET HANDLER





SPECIALIZED ATTACHMENTS

Pot Clamp

BKC



PRODUCT CODE

007BKC-X0215



kg

750



mm

1500



mm

200-1500



kg

355

TECHNICAL DATA

Notes:

Articulated handles for a smooth pot clamping.
Makes the handling of pots and plants in pots easy and efficient.
Handles pot with a maximum diameter of 1,2 m.
Wide opening & high capacity to adapt to many pot types.
Efficiently replaces forks, jibs, or human strength.



SPECIALIZED ATTACHMENTS

Pipe Stabilizer

PHD



PRODUCT CODE

	 kg	 mm	 mm	 kg
050PHD-X2000	5000	300-1160	2000	1950
080PHD-X2400	8000	300-1360	2400	2250

TECHNICAL DATA

Notes:

It increased component protection for less downtimes.
Complete grapple opening, increased efficiency when loading palletized loads.
Rubber-covered tine pads.
Forks can be used in floating or fixed mode.






SPECIALIZED ATTACHMENTS

360° Tyre Clamp

TYR



PRODUCT CODE



kg



mm



o



kg

026TYR-X1300

2600

750-2500

360°

1150

030TYR-X1300

3000

750-2500

360°

1250

035TYR-X2200

3500

750-3200

360°

1650

TECHNICAL DATA

Notes:

Body rotation : $\pm 360^\circ$

Constant side shift : ± 150 mm.

Perfect tyre holding, fork covered with anti-slip material.

A compact solution for all tyre removal operations.



SPECIALIZED ATTACHMENTS

Forklift Mast

FBM



PRODUCT CODE



kg



mm



mm



kg

025FBM-X1200

2500

1200

700

595

035FBM-X1300

3500

1300

1000

625

TECHNICAL DATA

Notes:

A perfect solutions for extra mast lifting.
700-1000mm options
Load backrest is optional



SPECIALIZED ATTACHMENTS

Big-Bag Handler

BBA



PRODUCT CODE

024BBA-X1350



2400



1350



1350




320

TECHNICAL DATA

Notes:

Total capacity of 2400 kg.
4 loading points with 600 kg capacity each.
4 bag stoppers mounted on each loading point- limit the risk of bag falling.
Increases efficiency & safety of big bag handling.



Wagner
attachments



SPECIALIZED ATTACHMENTS

AGR

Auger



PRODUCT CODE



mm



mm



kg

AGR-X0500

100

500

110

AGR-X1000

200

1000

150

AGR-X1500

300

1500

200

TECHNICAL DATA

Notes:

Planetary auger.
Gear motor protection with bolted carter.
Hexagonal output shaft with locking pin.
Attachment for drilling holes and repairing guardrails, installing poles or planting trees.



SPECIALIZED ATTACHMENTS

Multi Pallet Handler

MPH



PRODUCT CODE



kg



mm



mm



kg

020MPH-A43GJ

2000

1220

595-1960

560

025MPH-B44GJ

2500

1220

595-1960

585

028MPH-B45GJ

2800

1220

595-1960

595

TECHNICAL DATA

Notes:

Single or Double Pallet Handling
2 Hydraulic Functions
Quick Release Hooks are optional
MPH Non-Sideshifting Model
MPHs Separate Sideshifting Model



100

[illegible]



30%

BETTER
ENERGY SAVINGS

50%

BETTER INDOOR
AIR QUALITY

20%

LESS WATER
CONSUMPTION

Waggon®

attachments

THINK BIG!

HOLD THE WORLD

WAGGER ATTACHMENTS

Gulmak Istif Makinalari San. ve Tic. Ltd. Sti.
Yesiloba Mah. Orta Olcekli Sanayi Sitesi 46247 Sok. NO: 2/A
Seyhan / Adana / TURKIYE

Phone: +90 (322) 428 08 58 - 428 08 97
Fax: +90 (322) 428 09 25
info@waggon.com.tr

www.waggon.com.tr

TELEHANDLER
ATTACHMENTS

bucket rangers • hay bale spikes & clamps • hay bale clamps
bale clamps • recycling bale clamps & grabs • log grabs • platform rangers
wrecker rangers • grinders & ploughs • fork carriers
spreader • fork attachments • rotators • fork & boom rotators
jib & crane rangers • special attachments

PRODUCT LIST